

Engineering Software

Copyright © 1996

P.O. Box 1180

Germantown, MD 20875

Phone/FAX: (301) 540-3605

E-Mail: info@engineering-4e.com

<http://www.engineering-4e.com>

Combustion Analysis

Here are some of the basic combustion information and plots when considering coal and oil as the fuel and air as the oxidant.

Combustion Assumptions

- Fuel Temperature 298 [K]**
- Oxidant Temperature 298 [K]**
- Stoichiometric Combustion**
- No Heat Losses**

Fuel (Coal) Composition

Element	Weight [kg/kg]
C	0.78
H	0.05
S	0.03
N	0.04
O	0.08
W	0.02

Oxidant (Air) Composition


Element	Weight [kg/kg]	Mole [kmol/kmol]
N	0.767	0.790
O	0.233	0.210

Combustion Schematic Layout

Fuel -- Coal




Oxidant -- Air




Combustion Products



Enthalpy vs Temperature





Enthalpy - Temperature $h - T$ Diagram

Combustion Products Composition

Element	Weight [kg/kg]	Mole [kmol/kmol]
CO ₂	0.249	0.170
H ₂ O	0.041	0.068
SO ₂	0.005	0.002
N ₂	0.705	0.759
O ₂	0.000	0.000

Combustion Values


Flame Temperature

2,484 [K]

Oxidant To Fuel Ratio

10.487 [/]

Combustion Products Flame Temperature (Coal as Fuel)



—◆— Flame Temperature

Fuel Inlet Temperature: 298 [K]

Fuel (Oil) Composition

Element	Weight [kg/kg]
C	0.86
H	0.14
S	0.00
N	0.00
O	0.00
W	0.00


Oxidant (Air) Composition


Element	Weight [kg/kg]	Mole [kmol/kmol]
N	0.767	0.790
O	0.233	0.210

Combustion Schematic Layout



Enthalpy vs Temperature





Enthalpy - Temperature $h - T$ Diagram

Combustion Products Composition

Element	Weight [kg/kg]	Mole [kmol/kmol]
CO ₂	0.202	0.132
H ₂ O	0.080	0.129
SO ₂	0.000	0.000
N ₂	0.718	0.739
O ₂	0.000	0.000

Combustion Values


Flame Temperature

2,484 [K]

Oxidant To Fuel Ratio

14.649 [/]


Combustion Products Flame Temperature (Oil as Fuel)



—◆— Flame Temperature


Fuel Inlet Temperature: 298 [K]

Combustion Products -- Weight Basis




Fuel and Oxidant Inlet Temperature: 298 [K]

Combustion Products -- Mole Basis



Fuel and Oxidant Inlet Temperature: 298 [K]


Combustion Products Flame Temperature



■ Flame Temperature


Fuel and Oxidant Inlet Temperature: 298 [K]

Combustion Products Flame Temperature (Coal and Oil as Fuel)



Fuel Inlet Temperature: 298 [K]


Combustion Stoichiometric Ratio



■ Stoichiometric Ratio (Oxidant to Fuel)

Fuel and Oxidant Inlet Temperature: 298 [K]

Higher Heating Value (HHV)



■ HHV

Fuel and Oxidant Inlet Temperature: 298 [K]

Request for Free Information

To get a free evaluation copy of the **Engineering Software** product line, place an order, find out more about how you can profit or benefit from the product line, visit the **Engineering Software** web site at: <http://www.engineering-4e.com> or send an e-mail to info@engineering-4e.com or call **(301) 540-3605**.